according to Regulation (EC) No. 1907/2006

## Cyanoacrylate green

Print date: 16.05.2011

Product code: 150120

Page 1 of 7

## 1. Identification of the substance/mixture and of the company/undertaking

## Identification of the substance or mixture

Cyanoacrylate green

Company	v/undertaking	identification
oompan	, and or taking	authoritient

Company name:	R&G Faserverbundwerkstoffe GmbH	
	Composite Technology	
Street:	Im Meißel 7 - 13	
Place:	D-71111 Waldenbuch	
Post-office box:	1145	
	D-71107 Waldenbuch	
Telephone:	+49-7157-530460	Telefax: +49-7157-530470
e-mail:	info@r-g.de	
Internet:	www.r-g.de	
Responsible Department:	Management	
Emergency telephone:	poison information centre	

## 2. Hazards identification

### Classification

	Indications of danger : Irritant R-phrases: Irritating to eyes, respiratory system and skin.
GHS:	Hazard categories: Skin corrosion/irritation: Skin Irrit. 2 Serious eve damage/eve irritation: Eve Irrit. 2
	Respiratory/skin sensitization: Skin Sens. 1
	Germ cell mutagenicity: Muta. 2
	Carcinogenicity: Carc. 2
	Specific target organ toxicity - single exposure: STOT SE 3
	Hazard Statements:
	Causes skin irritation.
	Causes serious eye irritation.
	May cause an allergic skin reaction.
	Suspected of causing genetic defects.
	Suspected of causing cancer.
	May cause respiratory irritation.

## 3. Composition/information on ingredients

Chemical characterization (Mixture)

according to Regulation (EC) No. 1907/2006

Cyanoacrylate green

Print date: 16.05.2011

Product code: 150120

Page 2 of 7

## Hazardous components

EC No.	CAS No.	Chemical name	Quantity
		Classification	
		GHS classification	
230-391-5	7085-85-0	ethyl 2-cyanoacrylate	50 - < 100 %
		Xi R36/37/38	
		Eye Irrit. 2, STOT SE 3, Skin Irrit. 2; H319 H335 H315	
	9011-14-7	Polymethylmetharcrylat	1 - < 20 %
		Xi R36-37-38	
204-617-8	123-31-9	1,4-dihydroxybenzene; hydroquinone; quinol	0,1 - < 1 %
		Carc. Cat. 3, Muta. Cat. 3, Xn, Xi, N R40-68-22-41-43-50	
		Carc. 2, Muta. 2, Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H351 H341 H302 H318 H317 H400	

Full text of R- and H-phrases: see section 16.

## 4. First aid measures

#### **General information**

Change contaminated clothing.

#### After inhalation

Provide fresh air. Consult a doctor when complaints persist.

#### After contact with skin

After contact with skin, wash immediately with soap and plenty of water. If skin becomes irritated, seek medical treatment.

## After contact with eyes

After contact with eye rinse immediately with lot of water at least 5 minutes with open eyelid. Subsequently consult an opthalmologist.

#### After ingestion

Rinse mouth immediately and drink large quantities of water. Do not attempt to make an unconscious person vomit. Consult physician.

## Advice to doctor

Provide symptomatic treatment.

## 5. Fire-fighting measures

## Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Sand. Water fog.

## Extinguishing media which must not be used for safety reasons

High power water jet.

## Special exposure hazards arising from substance or mixture itself, combustion products, resulting gases

Pyrolysis products, toxic. (Nitrogen oxides (NOx). Carbon monoxide. (CO))

## Special protective equipment for fire-fighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

according to Regulation (EC) No. 1907/2006

## Cyanoacrylate green

Print date: 16.05.2011

Product code: 150120

Page 3 of 7

#### Additional information

Immediately move undamaged cans out of the danger area, and if necessary cool with water. Danger of bursting! Contaminated fire-fighting water must not get into the sewerage network.

## 6. Accidental release measures

#### **Personal precautions**

Provide adequate ventilation. Remove from all sources of ignition. Wear respiratory protection when in the presence of vapour, dust, and aerosols. Special skid risk by leaking/spilling product.

#### Environmental precautions

Do not empty into drains or the aquatic environment. Prevent allover extension (e.g.knocking-down or a boom).

#### Methods for cleaning up/taking up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Dispose of contaminated material as § 13 waste.

## 7. Handling and storage

## <u>Handling</u>

## Advice on safe handling

Ventilate adequately storage and work rooms.

## Advice on protection against fire and explosion

Keep away from sources of ignition. No smoking.

## Storage

#### Requirements for storage rooms and vessels

Protect against the effects of heat and direct sunlight. Keep in a cool, well-ventilated place. Keep receptacles tightly sealed. Provide a solvent-resistant and sealed floor. Only use containers approved for especially this product.

## Advice on storage compatibility

Keep away from oxidising agents.

Storageclass (D):

12

## 8. Exposure controls/personal protection

## Exposure limit values

### **Exposure limits (EH40)**

CAS No.	Chemical name	ml/m³	mg/m³	F/ml	Category	Origin
7085-85-0	Ethyl cyanoacrylate	-	-		TWA (8 h)	WEL
		0.3	1.5		STEL (15 min)	WEL
123-31-9	Hydroquinone	-	0.5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

## Exposure controls

#### **Occupational exposure controls**

Ventilate adequately storage and work rooms.

#### Protective and hygiene measures

"Wash hands when done working with material; at breaks, lunch, shift changes, etc." Do not smoke, eat, or drink during work.

according to Regulation (EC) No. 1907/2006

according to Regulation (EC) No. 1907/2006				
Cyanoacrylate green				
Print date: 16.05.2011	Product code: 150120	Page 4 of 7		
Respiratory protection				
In the event of long or exc	essive effects: use a gas mask with type A filter.			
Hand protection				
Wear protective gloves. (E Protect skin by using skin				
Eye protection Tightly sealed safety glass	Sec. (EN 166)			
	SES. (EN 100)			
Skin protection Wear protective clothing.				
· · ·				
9. Physical and chemical properties				
General information				
Physical state:	liquid			
Colour:	colourless			
Odour:	pungent			
Important health, safety and environmer	ntal information			
		Test method		
Changes in the physical state				
Boiling point:	185 °C	2		
Flash point:	85 °C	3		
Density (at 20 °C):	1,07 g/cm	1 <sup>3</sup>		
Water solubility:	insolubl	e		
Other information				
Auto-ignition temperature				
Solid:		490 °C		
10. Stability and reactivity				
Conditions to avoid				
Oxidizing agents, strong.				
Hazardous decomposition products				
Gas / vapours, irritant.				
11. Toxicological information				
Acute toxicity				
none known				
Empirical data on effects on humans				
none known				
Further information				
The classification was uno preparation regulations (1	dertaken in accordance with the method of calculation 999/45/EC).	governed by the		

# 12. Ecological information

# 13. Disposal considerations

according to Regulation (EC) No. 1907/2006

## Cyanoacrylate green

Print date: 16.05.2011

Product code: 150120

Page 5 of 7

#### Advice on disposal

Dispose of as hazardous waste.

#### Waste disposal number of used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other dangerous substances Classified as hazardous waste.

#### Contaminated packaging

Uncontaminated packaging can be recycled. Noncleanable packaging must be disposed of like the substance.

#### 14. Transport information

#### Land transport (ADR/RID)

## Description of the goods

Not a hazardous material with respect to transportation regulations.

## <u>Air transport</u>

UN/ID number:	3334
ICAO/IATA-DGR:	9
ICAO packing group:	II

## Description of the goods

Aviation regulated liquid, n.o.s.

#### Other applicable information (air transport) only for more then 0,5 I

#### 15. Regulatory information

#### <u>Labelling</u>

Danger symbols:

Xi - Irritant



Xi - Irritant

Hazardous components which must be listed on the label 1,4-Dihydroxybenzol

## R phrases

36/37/38 Irritating to eyes, respiratory system and skin.

## S phrases

- 23 Do not breathe Dampf.
- Avoid contact with skin.
- 25 Avoid contact with eyes.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 51 Use only in well-ventilated areas.
- 60 This material and its container must be disposed of as hazardous waste.

## Special labelling of certain mixtures

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

according to Regulation (EC) No. 1907/2006

Cyanoacrylate green			
Print date: 16.05.2011	Product code: 150120	Page 6 of 7	
Additional advice on lal	belling		
The product	t is classified and labelled under the EC Directives/hazardous substances laws (GefStoffV).		
SHS labelling			
	Morriso		
Signal word:	Warning		
Pictograms:	exclamation mark; health hazard		
Hazard statements			
H315	Causes skin irritation.		
H319	Causes serious eye irritation.		
H317	May cause an allergic skin reaction.		
H341	Suspected of causing genetic defects.		
H351	Suspected of causing cancer.		
H335	May cause respiratory irritation.		
Precautionary statemen			
P201	Obtain special instructions before use.		
P202	Do not handle until all safety precautions have been read and understood.		
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.		
P264	Wash thoroughly after handling.		
P271	Use only outdoors or in a well-ventilated area.		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P302+P352	IF ON SKIN: Wash with plenty of soap and water.		
P321	Specific treatment (see on this label).		
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.		
P362	Take off contaminated clothing and wash before reuse.		
P363	Wash contaminated clothing before reuse.		
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
P312	Call a POISON CENTER or doctor/physician if you feel unwell.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P337+P313	If eye irritation persists: Get medical advice/attention.		
P308+P313	IF exposed or concerned: Get medical advice/attention.		
P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
P405	Store locked up.		
P501	Dispose of contents/container to		
lational regulatory information	-		

UVV: Verarbeiten von Klebstoffen (VBG 81).

## 16. Other information

## Full text of R-phrases referred to under sections 2 and 3

22	Harmful if swallowed.
36	Irritating to eyes.
36/37/38	Irritating to eyes, respiratory system and skin.

## according to Regulation (EC) No. 1907/2006

	Cyanoacrylate green	
Print date: 16.05.207	Product code: 150120	Page 7 of 7
37	Irritating to respiratory system.	
38	Irritating to skin.	
40	Limited evidence of a carcinogenic effect.	
41	Risk of serious damage to eyes.	
43	May cause sensitization by skin contact.	
50	Very toxic to aquatic organisms.	
68	Possible risks of irreversible effects.	
Full text of H-Sta	tements referred to under sections 2 and 3	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H341	Suspected of causing genetic defects.	
H351	Suspected of causing cancer.	
H400	Very toxic to aquatic life.	
Further Informat		
pub nor figu gen adva cop and cust purp term	Information, recommendations, and advice on the part of R&G Faserverbundwerkstoffe GmbH are ished to the best of our knowledge and belief. They are noncommittal and contain neither explicit tacit assurance or warranty of particular properties. The values specified for properties are typical res. Recommendations or advice serve to describe our products and possible applications in a eral or exemplary, but not specifically individual manner. In the course of the constant technical ancement and improvement of our products there may be changes to the characteristic values, <i>y</i> , and diagrams; no specific reference is made to any such change. Owing to our products' wide highly diverse range of potential applications far beyond any of our attempts to analyse, the omer alone is responsible for examining our products' suitability for the respective processes and poses and their respective processibility. All and any protective rights and the applicable laws, is, and conditions must be observed by the buyer or user of our products at their own responsibility. lication is not a licence and does not intend the violation of any patents.	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)