

Product EPOXOL® PUTTY - COMPONENT B

Version 1.00 ENG

Date revised: 01/07/2003

1. IDENTIFICATION OF THE PREPARATION AND COMPANY

1.1 Identification of the preparation

Product name EPOXOL® PUTTY - COMPONENT B

1.2 Use of the preparation

Hardener for bonding, sealing & casting

1.3 Company identification

Manufacturer NEOTEX® SA
45 Victoros Hugo Street
104 37 Athens
Greek
contact tel. numbers +30 210 52 23 534, fax: +30 210 52 46 750
Emergency tel. number +30 210 52 23 534

2. COMPOSITION/INFORMATION ON INGREDIENTS

Type of preparation Hardener for epoxy putty

Components	CAS number	Symbols	R phrases	Percent (%wt)
Polyamide		Xi	36/38,43,52/53	>90

3. HAZARDS IDENTIFICATION

Human health hazards Irritating to eyes and skin.
Safety hazards Not classified as flammable but it will burn.
Environmental hazards Dangerous to the environment according to EU directives. May cause long-term adverse effects in the aquatic environment

4. FIRST AID MEASURES

on inhalation Remove to fresh air. In case of severe dizziness or nausea, or if rapid recovery does not occur, obtain medical advice or attention.
on eye contact Flush eyes with plenty of water keeping the eyelids wide open. Obtain medical attention.
on skin contact Remove contaminated clothing. Wash skin with water using soap if available. If persistent irritation occurs, obtain medical advice/attention.
on ingestion Do not induce vomiting. Give nothing by mouth. If rapid recovery does not occur, obtain medical attention and show this MSDS or the container of the product to the doctor.

5. FIRE-FIGHTING MEASURES

Specific hazards Carbon monoxide may be evolved if incomplete combustion occurs.
Extinguishing media
- suitable Foam, water fog or water mist. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
- unsuitable Water in a jet.
Protective equipment Full protective clothing and self-contained breathing apparatus.
Other information Keep adjacent containers cool by spraying with water.

Product EPOXOL® PUTTY - COMPONENT B**Version** 1.00 ENG**Date revised:** 01/07/2003

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Avoid contact with skin, eyes, and clothing. Do not breathe vapour. Use suitable gloves (nitrile), safety goggles and one-piece suit. No smoking. Extinguish naked flames. Remove ignition sources. In case the spillage occurs in a confined area, ventilate thoroughly.
Environmental protection	Stop the leakage if possible. Prevent contamination of soil and water. Prevent from spreading or entering into drains, ditches or rivers by using sand, earth, or other appropriate barriers. Use sand, earth or other absorbing material to confine and contain the spillage.
Methods for cleaning-up	Collect the leaking product in a suitable container for subsequent disposal. Contain the spillage with inert absorbing material (e.g. sand, earth) and transfer it to suitable containers for disposal according to local regulations.

7. HANDLING AND STORAGE

HANDLING	Always work in well ventilated areas. In any other case, use suitable face mask. Do not breathe vapour or spray. Do not smoke, eat or drink during work. Remove ignition sources. Avoid contact with skin, eyes, and clothing. Use the product at temperatures between 5-40°C
STORAGE	Keep the product away from children (locked if possible), closed in its original container, in a well-ventilated, cool place, away from direct sunlight, electrical appliances, sources of ignition, and naked flames. Do not store the product at temperatures higher than 50°C.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	Do not breathe vapour or spray. Always work in well ventilated areas. In any other case, use suitable face mask.
Hand protection	Avoid contact with skin. Use gloves (nitrile) that comply with relevant standards (e.g. EN 374).
Eye protection	Avoid contact with eyes. Use safety goggles (EN 166).
Skin protection	Use standard issue work clothes.

9. PHYSICAL AND CHEMICAL PROPERTIES)

Physical state	Solid
Colour	Yellow
Odour	characteristic of polyamides
Boiling range	Not applicable
Melting point	>110°C (polyamide)
Flash point	>100°C (polyamide)

Product EPOXOL® PUTTY - COMPONENT B**Version** 1.00 ENG**Date revised:** 01/07/2003

Density 970 kg/m³ at 25 °CWater solubility 0,5 kg/m³ at 23 °CViscosity Not applicable

10. STABILITY AND REACTIVITY

Stability The product remains stable if stored and used according to the instructions.

Materials to avoid Acids. Strong oxidising or reducing agents.

Hazardous decomposition products Noxious fumes, carbon oxide

11. TOXICOLOGICAL INFORMATION

According to our experience, no hazards to human health have been demonstrated when the product is used properly and common hygiene practices are maintained.

Symptoms and information concerning the use of the product, derived from the estimation of the hazardous properties of the components of the preparation, are listed below. Data concerning the toxicological properties of the components mentioned in section 2 are presented below (data provided by suppliers).

Symptoms and effects Skin, eye, or respiratory system irritation. Headache, nausea, drowsiness, dizziness, unconsciousness.

- contact with eyes May cause temporary irritation to eyes in the form of liquid, vapour or spray.

- contact with skin Irritating to skin.

- ingestion Low toxicity (**LD₅₀ oral rat** = 15 g/kg. High doses may lead to central nervous system depression, drowsiness, dizziness, unconsciousness.- inhalation Exposure to high vapour concentration may induce irritation of the nose, throat and respiratory tract.

12. ECOLOGICAL INFORMATION

The product has not been tested. Thus detailed data on its environmental toxicity are not available.

Information concerning the mobility, biodegradability and bioaccumulation of the components listed in section 2 are given below (data provided by the suppliers).

Components Polyamide

Mobility No data available

Biodegradability No data available

Bioaccumulation Has the potential to be bioaccumulate

Data concerning the ecotoxicity of the components listed in section 2 to aquatic organisms are given below (data provided by the suppliers).

ComponentsPolyamide Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Product EPOXOL® PUTTY - COMPONENT B**Version** 1.00 ENG**Date revised:** 01/07/2003

Based on its formula, the product is expected to cause problems in waste water treatment plants. Therefore, avoid release of the product in drains and the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Product disposal Should be disposed of according to local regulations as hazardous waste.

Container disposal Contaminated containers should be disposed of according to local regulations as hazardous waste.

14. TRANSPORT INFORMATION

Rail/road transport (ADR/RID): not classified

Maritime transport (IMDG): not classified

Air transport (ICAO/IATA): not classified

15. REGULATORY INFORMATION

Classification Irritant

Symbols

Xi



Risk

R 36/38

Irritating to eyes and skin

phrases (R)

R 43

May cause sensitization by skin contact

R 52/53

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety

S 26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

phrases (S)

S 28

After contact with skin, wash immediately with plenty of water

S 36/37/39

Wear suitable protective clothing, gloves and eye/face protection.

S 61

Avoid release to the environment.

Other phrases

Contains polyamide

16. OTHER INFORMATION

The product is suitable for public use.

The classification and the labelling of the preparation have been performed according to directive 99/45/EU and its amendments.

The present MSDS complies with directive 91/115/EEC and its amendments.

The information contained in this document is based on our current knowledge and experience and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. The user is responsible for observing local laws and regulations.